

Author index to Volume 13

- ABRAHAM A., see Shvero J. *et al.*
ALBERTI P.W., see McShane D.P. *et al.*
AMIN M. & MARAN A.G.D. The aetiology of laryngocoele, 267
ARAN J-M., see Dauman R. *et al.*
- BAATENBURG DE JONG R.J., RONGEN F.J., DE JONG P.C., LAMERIS J.S. & KNEGT P. Screening for lymph nodes in the neck with ultrasound, 5
BAGULEY D., see Croxson G.R. *et al.*
BAILEY C.M., Management of the drooling child, 319
BELLINI M.J., see Terry R.M. *et al.*
BERRIOS G.E., RYLEY J.P., GARVEY T.P.N. & MOFFAT D.A. Psychiatric morbidity in subjects with inner ear disease, 259
BEVAN K., MORGAN M.H. & GRIFFITHS M.V. Review: The role and techniques of laryngeal electromyography, 299
BIANCHI P.M., see Pinelli V. *et al.*
BINGHAM B.J.G., CHEVRETTON E. & FIRMAN E. Water contamination and swimming with the open mastoid cavity, 347
BONDING P., see Stage J. *et al.*
BOTTERO S. see Pinelli V. *et al.*
BRIANT T.D.R. see Lundgren J.A.V. *et al.*
BROCKBANK M.J., JONATHAN, D.A., GRANT H.R. & WRIGHT A. Goode T-tubes: do the benefits of their use outweigh their complications?, 351
BROCKBANK M., see Pfeleiderer A.G. & Brockbank M.
BROCKBANK M., see Veitch D. *et al.*
BROOKER D.S. Review: Rheumatoid arthritis: otorhinolaryngological manifestations, 239
- CARLIN W.V., see John D.G. *et al.*
CARRICK D.G., see John D.G. *et al.*
CHEVRETTON E., see Bingham B.J.G. *et al.*
CLAYTON M.I., see Osborne J.E. & Clayton M.I.
CLAYTON M.I., see Rivron R.P. & Clayton M.I.
CLAYTON M.I., see Terry R.M. *et al.*
CLEGG R.T. see Wight R.G. *et al.*
COLHOUN E.N., O'NEILL G., FRANCIS K.R. & HAYWARD C.A. comparison between area and volume measurements of the mastoid air spaces in normal temporal bones, 59
CROXSON G.R., MOFFAT D.A. & BAGULEY D. Bruns bidirectional nystagmus in cerebellopontine angle tumours, 153
CULL R.E., see Heath J.P. *et al.*
CULL R.E., see Smith I.M. *et al.*
CULLEN J.R. Swimming with earplugs: are they worthwhile?, 231
- DAUMAN R., ARAN J-M. & PORTMANN M. Limits of ABR and contribution of transtympanic electrocochleography in the assessment of cerebellopontine angle tumours, 107
DAVIS A.E. Homograft materials in otolaryngology: the risk of transmitting human immunodeficiency virus, 159
DE JONG P.C., see Baatenburg De Jong *et al.*
DEMPSTER J.H. & SIMPSON D.C. Nasopharyngeal neoplasms and their association with adult onset otitis media with effusion, 363
DEMPSTER J.H. & SWAN I.R.C. The management of otitis media with effusion in adults, 197
DEVRIESE P.P. & MOESKER W.H. The natural history of facial paralysis in herpes zoster, 289
- ECCLES R., GRIFFITHS D.H., NEWTON C.G. & TOLLEY N.S. The effects of menthol isomers on nasal sensation of airflow, 25
ELVERSSON J., see Petruson B. & Elversson J.
ESAKI Y., see Ohashi Y. *et al.*
EVANS K.L., see Pfeleiderer A.G. *et al.*
- FEY S.J., see Lindeberg H. *et al.*
FIELDER C., see John D.G. *et al.*
FIRMAN E., see Bingham B.J.G. *et al.*
FISCH U., see Lancer J.M. & Fisch U.
FRANCIS K.R., see Colhoun E.N. *et al.*
FREEDMAN A., see Monkhouse W.S. *et al.*
FREEMAN J., see Monnier P.H. *et al.*
- GANDHI A.G., see Terry R.M. *et al.*
GARVEY T.P.N., see Berrios G.E. *et al.*
GAZE M.N. & WILSON J.A. Review: Head and neck tumour immunology, 495
GILBERT J.G. Influence of intraoperative antroscopy on surgical treatment of the maxillary antrum, 219
GILBERT R.W., LUNDGREN J.A.V., VAN NOSTRAND A.W.P. & KEANE T.J. $T_3N_0M_0$ glottic carcinoma—a pathologic analysis of 41 patients treated surgically following radiotherapy, 467
GILBERT R.W., see Lundgren J.A.V. *et al.*
GRACE A.R.H., see Pfeleiderer A.G. *et al.*
GRANT H.R., see Brockbank M.J. *et al.*
GRAY R.F. & NICOLAIDES A.R. Vertigo following aural suction: can it be prevented?, 285
GRIFFITHS D.H., see Eccles R. *et al.*
GRIFFITHS M.V., see Bevan K. *et al.*
GRIFFITHS M.V., see Watson D.J. *et al.*

- HADAR T., see Shvero J. *et al.*
- HARDCASTLE P.F., WHITE A. & PRESCOTT R.J. Clinical and rhinometric assessment of the nasal airway—do they measure the same entity?, 185
- HARDCASTLE P.F., WHITE A. & PRESCOTT R.J. Clinical or rhinometric assessment of the nasal airway—which is better?, 381
- HARWOOD A.R., see Lundgren J.A.V. *et al.*
- HAYWARD C. see Colhoun E.N. *et al.*
- HEATH J.P., CULL R.E., SMITH I.M. & MURRAY J.A.M. The neurophysiological investigation of Bell's palsy and the predictive value of the blink reflex, 85
- HEATH J.P., see Smith I.M. *et al.*
- HOLMSTRÖM M. & KUMLEIN J. A clinical follow-up of septal surgery with special attention to the value of preoperative rhinomanometric examination in the decision concerning operation, 115
- HYDE M.L., see McShane D.P. *et al.*
- IKEOKA H., see Ohashi Y. *et al.*
- JENSON J.H., see Stage J. *et al.*
- JOHN D.G., CARLIN W.V., LESSER T.H.J., CARRICK D.G. & FIELDER C. Tympanoplasty surgery and prophylactic antibiotics: surgical results, 205
- JONATHAN D.A., see Brockbank M.J. *et al.*
- JONES A.S., see Lancer J.M. *et al.*
- JONES A.S., see Wight R.G. *et al.*
- KEANE T.J., see Gilbert R.W. *et al.*
- KEANE T.J., see Lundgren J.A.V. *et al.*
- KEAY D.G. & MURRAY J.A.M. Hearing loss in the elderly: a 17-year longitudinal study, 31
- KEITH A.O., see Timms M.S. *et al.*
- KNEGT P., see Baatenburg de Jong R.J. *et al.*
- KOSHIMO H., see Ohashi Y. *et al.*
- KUMLEIN J., see Holmström M. & Kumlein J.
- LAMERIS J.S., see Baatenburg de Jong *et al.*
- LANCER J.M. & FISCH U. Local anaesthesia for middle ear surgery, 367
- LANCER J.M., SYDER D., JONES A.S. & LE BOUTILLIER A. Vocal cord nodules: a review, 43
- LE BOUTILLIER A., see Lancer J.M. *et al.*
- LESSER T. & WILLIAMS G. Laryngographic investigation of postoperative hoarseness, 37
- LESSER T.H.J., WILLIAMS K.R. & SKINNER D.W. Tympanosclerosis, grommets and shear stresses, 375
- LESSER T.H.J., see John D.G. *et al.*
- LESSER T.H.J., see Skinner D.W. *et al.*
- LIEBERHERR U., see Wehrli U. *et al.*
- LINDBERG H., FEY S.J., OTTOSEN P.D. & MOSE LARSEN P. Human papilloma virus (HPV) and carcinomas of the head and neck, 447
- LYOYD G.A.S., see Pfeleiderer A.G. *et al.*
- LYOYD G.A.S., see Woodhead P. & Lloyd G.A.S.
- LUDMAN H., see Youngs R. *et al.*
- LUNDGREN J.A.V., GILBERT R.W., VAN NOSTRAND A.W.P., HARWOOD A.R., KEANE T.J. & BRIANT T.D.R. T₃N₀M₀ glottic carcinoma—a failure analysis, 455
- LUNDGREN J.A.V., see Gilbert R.W. *et al.*
- MC SHANE D.P., HYDE M.L. & ALBERTI P.W. Tinnitus prevalence in industrial hearing loss compensation claimants, 323
- MARAN A.G.D., see Amin M. & Maran A.G.D.
- MARSELLA P., see Pinelli V. *et al.*
- MAW A.R. & TIWARI R.S. Children with glue ear: how do they present?, 171
- MEIKLE D. Aspirin sensitivity and recurrent polyposis, 1
- MOESKER W.H., see Devriese P.P. & Moesker W.H.
- MOFFAT D.A., see Berrios G.E. *et al.*
- MOFFAT D.A., see Croxson G.R. *et al.*
- MOFFAT D.A., see Pfeleiderer A.G. *et al.*
- MONKHOUSE W.S., MORAN P. & FREEDMAN A. The histological effects on the guinea pig external ear of several constituents of commonly used aural preparations, 121
- MONNIER PH., RAVUSSIN P., SAVARY M. & FREEMAN J. Percutaneous transtracheal ventilation for laser endoscopic treatment of laryngeal and subglottic lesions, 209
- MORAN P., see Monkhouse W.S. *et al.*
- MORGAN M.H., see Bevan K. *et al.*
- MORTON R.P. & SELLARS S.L. Laterality of sinonasal cancer and its aetiological implications, 193
- MOSE LARSEN P., see Lindeberg H. *et al.*
- MURRAY, J.A.M., see Heath J.P. *et al.*
- MURRAY J.A.M., see Keay D.G. & Murray J.A.M.
- MURRAY J.A.M., see Smith I.M. *et al.*
- MURRAY J.A.M., see White A. & Murray J.A.M.
- NAKAI Y., see Ohashi Y. *et al.*
- NAKATA J., see Ohashi Y. *et al.*
- NEWTON C.G., see Eccles R. *et al.*
- NICOLAIDES A.R., see Gray R.F. & Nicolaides A.R.
- NORRE M.E. Clinical value of caloric tests, 247
- NORRIS R.W. & TANNER N.S.B. Surgeon's workshop: Tissue expansion for head and neck reconstruction, 65
- O'MALLEY S., see Timms M.S. *et al.*
- O'NEILL G. & TOLLEY S. Theoretical considerations of nasal airflow mechanics and surgical implications, 273
- O'NEILL G., see Colhoun E.N. *et al.*
- O'REILLY B.F., see White A. & O'Reilly B.F.
- OHASHI Y., NAKAI Y., IKEOKA H., KOSHIMO H., ESAKI Y., NAKATA J. & ONOYAMA Y. Functional and morphological pathology of the nasal mucosa after x-ray irradiation, 435

- OHASHI Y., NAKAI Y., KOSHIMO H., IKEOKA H., ESAKI Y., NAKATA J. & OSAKO S. Reversibility of reduced ciliary activity on adenoids of patients with otitis media with effusion following culture, 179
- ONOYAMA Y., see Ohashi Y. *et al.*
- OSAKO S., see Ohashi Y. *et al.*
- OSBORNE J.E. & CLAYTON M.I. Pharyngeal diverticula: is a positive family history unusual or of consequence?, 93
- OTTOSEN P.D., see Lindeberg H. *et al.*
- PARKER A.J., see Watson D.J. *et al.*
- PETRUSON B. & ELVERSSON J. A lateral rhinotomy approach to transphenoidal hypophysectomy, 251
- PFLIEDERER A.G. & BROCKBANK M. Cocaine and adrenaline: a safe or necessary combination in the nose? A study to determine the effect of adrenaline on the absorption and adverse side effects of cocaine, 421
- PFLIEDERER A.G. & MOFFAT D.A. The fasciaform graft: a technique for the repair of large perforations of the tympanic membrane, 427
- PFLIEDERER A.G., EVANS K.L., GRACE A.R.H. & LLOYD A.S. A screening protocol used for the detection of acoustic neuromas: a clinical evaluation, 145
- PINELLI V., BIANCHI P.M., BOTTERO S. & MARSELLA P. The pathogenesis of chronic recurrent parotitis in infants: a study of 93 cases including an analysis of the vascular and glandular changes before and after parasympathectomy, 97
- POCOCK R., see Yaniv E. & Pocock R.
- PORTMANN M., see Dauman R. *et al.*
- PRESCOTT R.J., see Hardcastle P.F. *et al.*
- PROOPS D.W., see Reid A.P. *et al.*
- RAVUSSIN P., see Monnier P.H. *et al.*
- REID A.P., PROOPS D.W. & SMALLMAN L.A. Why do tympanostomy tubes block?, 279
- RICHARDS S.H., see Skinner D.W. *et al.*
- RIVRON R.P. & CLAYTON M.I. ENT teaching, 133
- RONGEN R.J., see Baatenburg de Jong R.J. *et al.*
- RYLEY J.P., see Berrios G.E. *et al.*
- SAVARY M., see Monnier P.H. *et al.*
- SEGAL K., see Shvero J. *et al.*
- SELLARS S.L., see Morton R.P. & Sellars S.L.
- SHAHEEN O.H. Thyroid cancer, 167
- SHOTTON J.C. Stab wounds of the neck—observations on management, 335
- SHVERO J., HADAR T., SEGAL K., ABRAHAM A. & SIDI J. Carcinoma *in situ* of the vocal cords: a retrospective study, 235
- SIDI J., see Shvero J. *et al.*
- SIMPSON D.C., see Dempster J.H. & Simpson D.C.
- SKINNER D.W., LESSER T.H.J. & RICHARDS S.H. A 15 year follow-up of a controlled trial of the use of grommets in glue ear, 341
- SKINNER D.W., see Lesser T.H.J. *et al.*
- SLACK R.W.T., see Watson D.J. *et al.*
- SMALLMAN L.A., see Reid A.P. *et al.*
- SMITH I.M., HEATH J.P., MURRAY J.A.M. & CULL R.E. Idiopathic facial (Bell's) palsy: a clinical survey of prognostic factors, 17
- SMITH I.M., see Heath J.P. *et al.*
- SMITH S., see Youngs R. *et al.*
- STAGE J., JENSEN J.H. & BONDING P. Post-tonsillectomy haemorrhage and analgesics. A comparative study of acetylsalicylic acid and paracetamol, 201
- STELL P.M. Review: Prognostic factors in laryngeal carcinoma, 399
- SWAN I.R.C., see Dempster J.H. & Swan I.R.C.
- SWIFT A.C. Wound sepsis, chemoprophylaxis and major head and neck surgery, 81
- SYDER D., see Lancer J.M. *et al.*
- TANNER N.S.B., see Norris R.W. & Tanner N.S.B.
- TERRY R.M., BELLINI M.J., CLAYTON M.I. & GANDHI A.G. Fat graft myringoplasty—a prospective trial, 227
- TIMMS M.S., O'MALLEY S. & KEITH A.O. Experience with a new topical anaesthetic in otology, 485
- TIWARI R.S., see Maw A.W. & Tiwari R.S.
- TOLLEY N.S., see Eccles R. *et al.*
- TOLLEY S., see O'Neill G. & Tolley S.
- VALAVANIS A., see Wehrli M. *et al.*
- VAN NOSTRAND A.W.P., see Gilbert R.W. *et al.*
- VAN NOSTRAND A.W.P., see Lundgren J.A.V. *et al.*
- VEITCH D., BROCKBANK M. & WHITTET H. Aural polyps and cholesteatoma, 395
- VERSLUIS R.J.J., see Vuyk H.D. & Versluis R.J.J.
- VUYK H.D. & VERSLUIS R.J.J. The inferior turbinate flap for closure of septal perforations, 53
- WATSON D.J., PARKER A.J., SLACK R.W.T. & GRIFFITHS M.V. Local versus general anaesthetic in the management of the fractured nose, 491
- WEHRLI M., LIEBERHERR U. & VALVANIS A. Super-selective embolization for intractable epistaxis: experiences with 19 patients, 415
- WHITE A. & MURRAY J.A.M. Intranasal adhesion formation following surgery for chronic nasal obstruction, 139
- WHITE A. & O'REILLY B.F. Oral tranexamic acid in the management of epistaxis, 11
- WHITE A., see Hardcastle P.F. *et al.*
- WHITTET H.B., WILLIAMS H.O. & WRIGHT A. An evaluation of topical anaesthesia for myringotomy, 481
- WHITTET H., see Veitch D. *et al.*

- WIGHT R.G., JONES A.S. & CLEGG R.T. A comparison of anterior and radical trimming of the inferior nasal turbinates and the effects on nasal resistance to airflow, 223
- WILLIAMS G., see Lesser T. & Williams G.
- WILLIAMS H.O., see Whittet H.B. *et al.*
- WILLIAMS K.R., see Lesser T.H.J. *et al.*
- WILSON J.A., see Gaze M.N.
- WOODHEAD P. & LLOYD G.A.S. Olfactory neuroblastoma: imaging by magnetic resonance, CT and conventional techniques, 387
- WRIGHT A., see Brockbank M.J. *et al.*
- WRIGHT A., see Whittet H.B. *et al.*
- YANIV E. & POCKOCK R. Complications of ear disease, 357
- YOUNGS R., LUDMAN H. & SMITH S. Transtympanic surgery for hemifacial spasm—an electrophysiological study, 331

Subject index to Volume 13

- AIDS, 159
Acetylsalicylic acid, 1, 201
Acoustic neuroma, 77, 107, 145, 153
Adenoids, 179, 314
Antithrombin III, 77, 313
Antroscopy, 219
Aspirin, 1, 201
Astemizole, 313
Aural polyps, 395
- BSERA, 74, 107, 145, 163, 307
Bell's palsy, 17, 80, 85
Blink reflex, 80, 85
- CSF leaks, 164
Caloric tests, 247, 309
Chemoprophylaxis, 81, 205
Chemotherapy, 80
Cholesteatoma, 76, 357, 395
Cleft palates, 314
Cochlear hair cells, 315
Computed tomography, 59, 387
- Diabetes, 307
Drooling, 319
- ECochG, 107, 145
Ear plugs, 231
Embolization, 415
Epistaxis, 11, 310, 415
Epstein-Barr virus, 76
Ethmoid Ca, 164, 193
External ear, 121
- Facial palsy, 17, 80, 85, 289
- Gastro-oesophageal reflux, 79
Gentamicin, 77, 121
Globus pharyngeus, 79
Glue ear, 75, 163, 171, 179, 197, 314, 341, 351, 363
Grommets, 75, 231, 279, 341, 351, 375
- Head and neck CA, 5, 77, 80, 164, 165, 235, 311, 313, 399, 447, 495
Head and neck surgery, 65, 81, 308
Hearing aids, 310, 312, 315
Hearing loss, 31, 74, 78, 163, 171, 205, 310, 315, 323
- Hemifacial spasm, 331
Herpes zoster, 289
Hoarseness, 37, 74, 77
Homografts, 159
Human papilloma virus, 74, 447
Hypophysectomy, 251
- Immunology, 495
Inferior turbinates, 53, 139, 223, 308, 312
Intubation, 37
- Laryngeal Ca, 209, 235, 399, 455, 467
Laryngeal papillomatosis, 73, 209
Laryngocoele, 267
Laryngography, 37, 79, 299
Local anaesthesia, 74, 314, 367, 421, 481, 485, 491
Lymph nodes, 5
- MRI, 73, 164, 387
Mastoid air spaces, 59, 347
Menthol, 25
Middle ear implants, 311
- Nasal fractures, 491
Nasal polyps, 1
Nasal resistance, 25, 78, 115, 185, 223, 273, 381, 435
Nasal sensation, 25, 74, 185, 435
Nasal septum, 53, 311
Nasal surgery, 53, 74, 115, 139, 164, 223, 251, 273, 307, 308, 312
Nasal valve, 273
Nasopharyngeal Ca, 76, 363
Nystagmus, 153
- Obscure auditory dysfunction, 78
Old age, 31, 74, 77
Olfactory neuroblastoma, 387
- Palatal airway, 75, 314
Paracetamol, 201
Parotid gland, 73, 97
Pharyngeal diverticula, 93
Psychiatric morbidity, 259
- Radiotherapy, 435, 467
Rheumatoid arthritis, 239
Rhinomanometry, see nasal resistance

Septal surgery, 53, 115, 139
Sinus surgery, 219, 251
Stab wounds, 335
Stapedectomy, 163
Stria vascularis, 77
Swimming, 231, 347

Teaching, 133
Technetium, 311
Thyroid cancer, 167
Thyroidectomy, 79, 167
Tinnitus, 259, 314, 323, 357
Tissue culture, 76, 179
Tissue expansion, 65
Tonsillectomy, 201
Tracheostomy, 165

Training, 411
Tranexamic acid, 11, 310
Transtracheal ventilation, 209, 309
Tuning fork tests, 308
Tympanic membrane, 76, 310, 427
Tympanoplasty, 205, 227, 311, 315, 367, 427
Tympanosclerosis, 75, 357, 375

Ultrasound, 5

Vertigo, 285, 313, 357
Vocal nodules, 43

Wound sepsis, 81

